AUTHOR INDEX

Aiuchi, T., Murai, N., and Sugai, S.: Dielectric Studies of Electrolytic Poly (α-Amino Acid)s in Aqueous Solutions, 1499

——, Inoue, S., and Itoh, K.: Infrared Studies of Stereoregularity of Copoly (γ-Benzyl-D,L-Glutamate) by the Polarization of the N-Carboxylic Anhydride, 1713

Akaike, T., Makino, T., Inoue, S., and Tsuruta, T.: Circular Dichroism Studies on the Polymerization of *N*-Carboxy α-Amino Acid Anhydride, 129

Akasaka, K.: Proton and Phosphorus Magnetic Relaxation Studies on the Dynamic Structure of Single-Stranded Polyriboadenylic Acid, 2273

Akita, S.: see Miyake, M.

Allen, F. S. and Daub, G. W.: Analysis of Circular Dichroism Spectra of Homopurine: Homopyrimidine DNA's for Sequence Information and Comparison of Results with Heterobase DNA, 241

Andersen, M., Painter, L. R., and Nir, S.: Dispersion Equation and Polarizability of Bovine Serum Albumin from Measurements of Refractive Indices, 1261

Andronikashvili, E. L., Mgeladze, G. N., Monaselidze, J. R. and Lezius, A. G.: Microcalorimetric Investigation of Dilute and Concentrated Solutions and Films of the Polydeoxynucleotide Poly (d(A-T·d(A-T)), 1751

Anson, M.: see Bayley, P. M.

Antoni, G., Neri, P., Pedersen, T. G., and Ottesen, M.: Hydrodynamic Properties of a New Plasma Expander. Polyhydroxyethylaspartamide, 1721

Applequist, J. and Lunde, B. K.: A Demonstration of Two-Component Behavior of the Circular Dichroic Spectra of Poly (L-Tyrosine, 3-Bromo-L-Tyrosine) in Trimethylphosphate, 1341

——: see Klug, T. L.

Arfmann, H.-A.: see Seipke, G.

Aubry, A., Giessner-Prettre, C., Cung, M. T., Marraud, M., and Neel, J.: Caractéristiques Géométriques del la Séquence $H^{\alpha}C^{\alpha}$-N-H l'Isoquinuclidone-3 Examinée dans Differents Etats Physiques Influence sur la Constante de Couplage Vicinal $J_{H^{\alpha}H}$, 523

Baba, Y. and Kagemoto, A.: Influence of Magnesium Ions on Helix-Coil Transition of DNA Determined by Modified Differential Scanning Calorimeter, 339

Balasurbramanian, D.: Critique of the Interpretation of the Circular Dichroism of Unordered Polypeptides and Proteins, 407

Balmer, R. T. and Soto, R. J.: Polytonic Studies of Reconstituted Collagen Fibers, 627

Bangerter, B. W. and Modestas, Z.: Proton Magnetic Resonance Study of Complex Formation Between N_6-Methyladenosine and Polyuridylic Acid, 567

Barteri, M., Branca, M., and Pispisa, B.: Influence of Chiral Uncharged Co(III) Complexes on the Helix-Coil Transition of Poly-L-Lysine, 2161

Baxter-Gabbard, K. and Fraser, D.: The Effects of Cations and Diamines on the Viscosity of T2 DNA, 207

Bayley, P. M. and Anson, M.: Stopped-Flow Circular Dichroism: A New Fast-Kinetic System, 401

——: see Hooker, T. M., Jr.

Becker, J. M. and Naider, F.: Critical Chain Length for Helix Formation in L-Methionine Oligopeptides, 1747

——: see Naider, F.

Bellocq, A. M.: see Montagut, M.

Bensusan, H. B.: see Wender, D. B.

Berestetskaya, I. V., Frank-Kamenetskii, M. D., and Lazurkin, Yu. S.: Effect of Ionic Conditions on DNA Melting Curve Parameters, 193

Berger, R. L.: see Marini, M. A.

Bernengo, J. C., Roux, B., and Herbage, D.: Electrical Birefringence Study of Monodisperse Collagen Solutions, 641

Bianchi, E.: see Bressan, G.

Bishop, M.: see Dimarzio, E. A.

Blackwell, J.: see Gardener, K. H.

——: see Gelman, R. A.
Blinc, R.: see Lahajnar, G.
Bloos, G.: see Simionescu, Cr.
Blumberg, W. E., Dale, R. E., Eisinger, J., and Zuckerman, D. M.: Energy Transfer in $tRNA^{Phe}$ (Yeast). The Solution Structure of Transfer RNA, 1607
Bobst, A. M.: see Pan, Y.-C. E.
Bode, D.: see Heinecke, M.
Bodria, F.: see Conio, G.
Bollum, F. J.: see Gray, D. N.
Bonora, G. M. and Toniolo, C.: Sequential Oligopeptides: Synthesis and Characterization of the Oligopeptides and a Polypeptide with the Repeating Sequence L-Norvalyl-Glycyl-L-Proline, 1055
—— and ——: Sequential Oligopeptides. Conformational Studies of the Oligopeptides and a Polypeptide with the Repeating Sequence L-Norvalyl-Glycyl-L-Proline, 1067
—— and ——: Conformational Properties of Methionine Homo-Oligopeptides in Solution, 2179
——, Toniolo, C., Fontana, A., Di Bello, C., and Scoffone, E.: α-Glutamyl Oligopeptides: Preparation by the Solid-Phase Method, 157
Branca, M.: see Barteri, M.
Brand, B.: see Li, H. J.
Brazhnikov, E. V.: see Chirgadze, Yu. N.
Bressan, G., Rampone, R., Bianchi, E., and Ciferri, A.: DNA Conformation in *N*,*N*-Dimethyl Formamide-H_2O Solutions, 2227
Brosio, E., Delfini, M., De Paolis, A., Paci, M., and Conti, F.: Nmr Studies of Poly-γ-Benzyl-L-Glutamate in Trifluoracetic/Deuterochloroform Solutions: Temperature Dependence, 745
Broyde, S. B., Stellman, S. D., Hingerty, B. and Langridge, R.: Conformational Stability in Dinucleoside Phosphate Crystals. Semiempirical Potential Energy Calculations for Uridylyl-3′,5′-Adenosine Monophosphate (UpA) and Guanylyl-3′,5′-Cytidine Monophosphate (GpC), 1243
Brumberger, H. and Cheng, B.: Conformational Changes of Polypeptides on Crystallization, 2653
Brunner, W. C. and Maestre, M. F.: Circular Dichroism of Films of Polynucleotides, 345
Bruns, R. R. and Gross, J.: High-Resolution Analysis of the Modified Quarter-Stagger Model of the Collagen Fibril, 931
Bujard, H.: see Koller, Th.
Caillet, J. and Claverie, P.: Differences of Nucleotide Stacking Patterns in a Crystal and in Binary Complexes—The Case of Adenine, 601
Cameron, B. F.: see Killion, P. J.
Cancellieri, A., Frontali, C., and Gratton, E.: Dispersion Effect on Turbidimetric Size Measurement, 735
Chan, S. I.: see Kroon, P. A.
Chang, C.: see Li, H. J.
Chang, C.-T., Hain, T. C., Hutton, J. R., and Wetmur, J. G.: Effects of Microscopic and Macroscopic Viscosity on the Rate of Renaturation of DNA, 1847
Chemla, M.: see Magdelenat, H.
Chen, F. C., Tscharnuter, W., Schmidt, D., Chu, B., and Liu, T. Y.: Measurement of Diffusion Coefficients of Meningococcal Polysaccharide by Optical Mixing Spectroscopy. I. A Preliminary Characterization on the Aggregation of the Group C Polysaccharide, 2281
Chen, M. C. and Thomas, G. J., Jr.: Raman Spectral Studies of Nucleic Acids. XI. Conformations of Yeast $tRNA^{Phe}$ and *E. coli* Ribosomal RNA in Aqueous Solution and in the Solid State, 615
Cheng, B.: see Brumberger, H.
Chirgadze, Yu. N. and Brazhnikov, E. V.: Intensities and Other Spectral Parameters of Infrared Amide Bands of Polypeptides in the α-Helical Form, 1701
Chu, B.: see Chen, F. C.
Chu, F. H. and Lukton, A.: Collagenase Induced Changes in the Circular Dichroism Spectrum of Collagen, 1427
Ciferri, C.: see Bressan, G.
Claverie, P.: see Caillet, J.
Combelas, P., Garrigou-Lagrange, C. and Lascombe, J.: Etude par Spectroscopic Infrarouge de la Transformation Hélice-Chaîne Statistique des Polypeptides. II. Etude de l'Interaction de Quelques Polypeptides à Chaines Latérales Polaires avec l'Acide Trifluoracetique, 577
Conio, G., Trefiletti, V., Bodria, F.,

Trogila, C., and Patrone, E.: The Effect of Neutral Salts on the Conformational Transition of Poly - α - Amino Acids. I. Potentiometric Titration and Optical Rotatory Dispersion Studies, 1483
Conti, F.: see Brosio, E.
Cooke, D. B.: see Goux, W. J.
Cung, M. T.: see Aubry, A.
Dale, R. E. and Eisinger, J.: Intramolecular Distances Determined by Energy Transfer. Dependence on Orientational Freedom of Donor and Acceptor, 1573
——: see Blumberg, W. E.
Dalgleish, D. G., Fey, G., and Kersten, W.: Circular Dichroism Studies of Complexes of the Antibodies Daunomycin, Nogalamycin, Chromomycin, and Mithramycin with DNA, 1757
Das Gupta, N. N.: see Goswami, D. N.
Daub, G. W.: see Allen, F. S.
Davis, R. C.: see Studdert, D. S.
Delfini, M.: see Brosio, E.
DeLisi, C.: Cooperative Phenomena in Homopolymers. An Alternate Formulation of the Partition Function, 1511
——: Statistical Thermodynamics of Oligomer-Polymer Interactions, 2305
Denes, F.: see Simionescu, Cr.
De Paolis, A.: see Brosio, E.
De Santis, P., Forni, E., and Rizzo, R.: Conformational Analysis of DNA-Basic Polypeptide Complexes: Possible Models of Nucleoprotamines and Nucleohistones, 313
D'Iakova, E. B.: see Frisman, E. V.
Di Bello, C.: see Bonora, G. M.
Di Blasi, R. and Verdini, A. S.: ^{13}C Nmr Study of the Helix-Coil Transition of Poly-N^5-(3-Hydroxypropyl)-L-Glutamine, 765
—— and ——: Conformational Behavior of Poly-N^5-(3-Hydroxypropyl)-L-Glutamine in Water-Methanol Mixtures Studied by ^{13}C Nmr and CD Spectroscopy, 2209
Dimarzio, E. A. and Bishop, M.: The Nature of the Helix-Random Coil Transition of Biological Macromolecules Attached to a Surface, 2331
Donzel, B., Rivier, J., and Goodman, M.: Conformational Studies on the Hypothalmic Thyrotropin Releasing Factor and Related Compounds by ^1H Nuclear Magnetic Resonance Spectroscopy, 2631
Dufour, C.: see Gupta, A. K.
Eichinger, B. E.: see Kato, M.
Eisinger, J.: see Blumberg, W. E.
——: see Dale, R. E.
Elson, E. L. and Magde, D.: Fluorescence Correlation Spectroscopy. I. Conceptual Basis and Theory, 1
—— and Record, M. T., Jr.: The Strand-Separation Transition of T2 Bacteriophage DNA, 797
——: see Magde, D.
Epand, R. M., Wheeler, G. E., and Moscarella, M. A.: Circular Dichroism and Proton Magnetic Resonance Studies of Random Chain Poly-L-Lysine, 359
Evans, F. E. and Sarma, R. H.: Intermolecular Orientations of Adenosine-5′-Monophosphate in Aqueous Solution as Studied by Fast Fourier Transform ^1H Nmr Spectroscopy, 2117
Eyster, J. M., and Prohofsky, E. W.: Lattice Vibrational Modes of Poly(rU) and Poly(rA), 2505
—— and ——: Lattice Vibrational Modes of Poly(rU)·Poly(rA). A Coupled Single-Helical Approach, 2527
Fey, G.: see Dalgleish, D. G.
Fitchen, D. B.: see Wilser, W. T.
Flory, P. J.: see Hoeve, C. A. J.
Fontana, A.: see Bonora, G. M.
Forlani, L.: see Marini, M. A.
Formoso, C.: The Interaction of β-Cyclodextrin with Dinucleoside Phosphates, 909
Forni, E.: see De Santis, P.
Frank-Kamenetskii, M. D.: see Berestetskaya, I. V.
Franzblau, C.: see Mukherjee, D. P.
Fraser, D.: see Baxter-Gabbard, K.
Fredericq, E.: see Houssier, C.
French, A. D.: see Zaslow, B.
Frisman, E. V., Sibileva, M. A., D'Iakova, E. B., Vorob'ev, V. I., and Turoverova, L. V.: Studies of Deoxyribonucleoproteins Progressively Depleted of Proteins in Solution of Various Ionic Strengths, 863
——, Veselkov, A. N., Slonitsky, S. V., Karavaev, L. S., and Vorob'ev, V. I.: The Influence of Alcohol-Water Solvents on the Conformation of Deoxyribonucleic Acid, 2169
——: see Osipova, T. N.
Frontali, C.: see Cancellieri, A.
Frushour, B. G. and Koenig, J. L.:

Raman Spectroscopic Study of Mechanically Deformed Poly-L-Alanine, 455

—— and ——: Raman Spectroscopic Study of Tropomyosin Denaturation, 1809

Fumita, H.: see Miyake, M.

Fung, B. M., Witschel, J., Jr., and McAmis, L. L.: The State of Water on Hydrated Collagen as Studied by Pulsed NMR, 1767

Gajnos, G. E.: see Karasz, F. E.

Gamache, R.: see Prescott, B.

Gardner, K. H. and Blackwell, J.: The Structure of Native Cellulose, 1975

Garel, J.-P: Isothermes de Partage de DNA, rRNA, et RNA Rapidment Marqués dans un Système Solvant Salin, 537

Garrigou-Lagrange, C.: see Combelas, P.

Gasan, A. I.: see Maleev, V. Ya.

Gelman, R. A. and Blackwell, J.: Interactions Between Mucopolysaccharides and Cationic Polypeptides in Aqueous Solutions: Hyaluronic Acid, Heparitin, Sulfate, and Keratan Sulfate, 139

Giessner-Prettre, C.: see Aubry, A.

Glauser, S.: see Oldmixon, E. H.

Gō, N.: see Suezaki, Y.

Goodman, M.: see Donzel, B.

Goswami, D. N. and Das Gupta, N. N.: Dielectric Behavior of DNA-Dye Complex-II, 391

—— and ——: On the Electric Polarization of DNA, 1549

Gould, G. R.: see Schleich, T.

Goux, W. J., Cooke, D. B., Rodriguez, R. E., and Hooker, T. M., Jr.: Contribution of Side-Chain Chromophores to the Optical Activity of Proteins: Model Compound Studies. I. α-Methyl-L-tyrosine, 2315

Govil, G.: see Tewari, R.

Grant, E. H.: see South, G. P.

Gratton, E.: see Cancellieri, A.

Gray, C. W.: see Gray, D. M.

Gray, D. M. and Skinner, D. M.: A Circular Dichroism Study of the Primary Structures of Three Crab Satellite DNA's Rich in A:T Base Pairs, 843

—— and Bollum, F. J.: A Circular Dichroism Study of Poly dG, poly dC, and Poly dG:dC, 2087

——, Gray, C. W., Ratliff, R. L., and Smith, D. A.: Buoyant Densities of Natural and Synthetic DNA's in CsCl and Cs_2SO_4 Considered as Sequence-Dependent Properties, 2265

Gray, H. B., Jr.: see Ostrander, D. A.

Grebow, P. E. and Hooker, T. M., Jr.: Conformation of Histidine Model Peptides. I. Conformational Energy Calculations for L-Alanyl-L-Histidine Diketopiperazine, 2349

Gross, J.: see Bruns, R. R.

Grover, M. K. and Zwanzig, R.: Polymer Concentration Effects on Helix-Coil Transition Widths, 2103

Gupta, A. K., Dufour, C., and Marchal, E.: Structure of Aggregates and Helix-Coil Transition of Polypeptides by Dielectric Measurements. I. Poly-γ-Benzyl-L-Glutamate in Dioxane and Dioxane-Dichloroacetic Acid, 1293

Gupta, V. D.: see Srivastava, R. B.

Hain, T. C.: see Chang, C.-T.

Hamori, E.: see Lee, Y. N.

Han, H. and Schurr, J. M.: A Theory of Complex Multiple Equilibria. The Effect of Poly U Concentration on the Binding of Deoxyadenosine, 381

Hardy, B.: see Houssier, C.

Harget, P. J. and Krimm, S.: Macromolecular Structure and Organization of Alpha Keratin, 257

Hawley, S. A. and MacLeod, R. M.: Pressure-Temperature Stability of DNA in Neutral Salt Solutions, 1417

Hayakawa, T.: see Yamamoto, H.

Heinecke, M., Bode, D., and Schernau, U.: Calorimetric Investigation of the Helix-Coil Conversion of Polyuridylic Acid, 227

Herbage, D.: see Bernengo, J. C.

Heyn, A. N. H.: The Infrared Absorption Spectrum of Dextran and Its Bound Water, 475

Higashimura, T.: see Imanishi, Y.

Higgins, M. L.: see Oldmixon, E. H.

Hingerty, B.: see Broyde, S. B.

Hinomoto, T.: see Itoh, K.

Hirano, S. and Kondo-Ikeda, S.: Molecular Conformation of Polysaccharides in Solution. Changes in the Optical Rotation and in the Elution Pattern of Gel Filtration, 1357

Hoeve, C. A. J. and Flory, P. J.: The Elastic Properties of Elastin, 677

—— and Lue, P. C.: The Structure of

Water Absorbed in Collagen. I. The Dielectric Properties, 1661
Hoffman, A. S.: see Mukherjee, D. P.
Hollinger, G., Kuniak, L., and Marchessault, R. H.: Thermodynamic Aspects of the Gelatinization and Swelling of Crosslinked Starch, 879
Holtzer, A.: see Schiffer, D. K.
Honda, K.: see Tsuchida, E.
Hooker, T. M., Jr., Bayley, P. M., Radding, W. and Schellman, J. A.: The Optical Properties of Alanine and Proline Diketopiperazines, 549
——: see Goux, W. J.
——: see Grebow, P. E.
Houssier, C., Hardy, B., and Fredericq, E.: Interaction of Ethidium Bromide with DNA. Optical and Electrooptical Study, 1141
Hutton, J. R.: see Chang, C.-T.
Imanishi, Y., Kugimiya, K. and Higashimura, T.: Polymerization of Optical Isomers of Phenylalanine *N*-Carboxyanhydride by Poly (*N*-Methylalanine) Diethylamide, 1205
Inoue, S.: see Akaike, T.
Ishikawa, K.: see Tanoika, A.
Itoh, K., Hinomoto, T., and Shimanouchi, T.: Raman Spectra of Copoly (D,L-Alanines), 307
——: see Akaike, T.
Iwakura, Y.: see Ueno, A.
Jamieson, A. M., Lee, T.-Y., and Schafer, I. A.: Structural Studies of Human Placental Dermatan Sulfate during Development Using Optical Mixing Spectroscopy, 2133
Johnson, T. W. and Klotz, I. M.: Binding by Derivatives of Polyethylenimine: Effects of Charge and Structure of Small Molecules, 791
Jordan, F.: Effect of Protonation on Electronic Structure of Guanosine and 5′ Guanosine Monophosphate and on Glycoside (C-N) Bond Rotations, 289
Kadymova, F. A.: see Pletnev, V. Z.
Kagemoto, A.: see Baba, Y.
Kahn, M.: The Effect of Thymine Dimers on DNA: DNA Hybridization, 669
Kallay, M. and Record, M. T., Jr.: The Strand-Separation Transition of T7 DNA, 825
Karasz, F. E. and Gajnos, G. E.: Enthalpies of Helix-Coil Transitions in Polypeptides, 725
Karavaev, L. S.: see Frisman, E. V.
Kato, M., Lee, W. I., Eichinger, B. E., and Schurr, J. M.: Molecular Weight and Shape of the Phycocyanin Hexamer, 2293
Kearns, D. R.: see Wong, K. L.
Kelly, G. R. and Kurucsev, T.: Interaction between Purine Derivatives: Electronic Spectral Studies. II. Exciton Interactions in the Dimer of 6-Methylpurine in Aqueous Solution, 769
Kersten, W.: see Dalgleish, D. G.
Killion, P. J. and Cameron, B. F.: Water Sorption on Deoxygenated Hemoglobins CC, SC, SS, AS, and AA, 1653
Klotz, I. M.: see Johnson, T. W.
Klug, T. L. and Applequist, J.: Conformational Induction in Copolypeptides of the Form A_nB_m, 1317
Koenig, J. L.: see Frushour, B. G.
Koller, Th., Sogo, J. M., and Bujard, H.: An Electron Microscopic Method for Studying Nucleic Acid-Protein Complexes. Visualization of RNA Polymerase Bound to the DNA of Bacteriophages T7 and T3, 995
Kondo-Ikeda, S.: see Hirano, S.
Kreishman, G. P.: see Kroon, P. A.
Krimm, S.: see Harget, P. J.
——: see Ronish, E. W.
Kroon, P. A., Kreishman, G. P., Nelson, J. H., and Chan, C. I.: The Effects of Chain Length on the Secondary Structure of Oligoadenylates, 2571
Kugimiya, K.: see Imanishi, Y.
Kuniak, L.: see Hollinger, G.
Kurucsev, T.: see Kelly, G. R.
Lahjnar, G., Zupančič, I., Blinc, R., Pifat, G. and Maričič, S.: Frequency Dependence of the Proton Magnetic Relaxation in Aqueous Solutions of Haemoproteins, 1187
Langridge, R.: see Broyde, S. B.
Lapp, C. F.: see Leroy, E.
Lascombe, J.: see Combelas, P.
Laustrait, G.: see Leroy, E.
Lawaczeck, R. and Wagner, K. G.: Stacking Specificity and Polarization. Comparative Synopsis of Affinity Data, 2003
Lazurkin, Yu. S.: see Berestetskaya, I. V.
Lee, T.-Y.: see Jamieson, A. M.
Lee, W. I. and Schurr, J. M.: Dynamic

Light Scattering Studies of Poly-L-Lysine HBr in the Presence of Added Salt, 903
——: see Kato, M.
Lee, Y. N. and Hamori, E.: Calculated Minimum Energy Conformations of Nonactin., 77
Lemanceau, B.: see Montagut, M.
Leroy, E., Lapp, C. F., and Laustriat, G.: Migration Intramoléculaire de l'Energie d'Excition dans la Poly-DL-phenylalanine Etude par Extinction de Fluorescence, 507
Lespinasse, J. N. and Vasilescu, D.: Conformational Analysis of a Cyclic Nucleotide: 3′,5′-Adenosine Monophosphate. A Study Based on the Extended Hückel Theory, 63
Lezius, A. G.: see Andronikashvili, E. L.
Li, H. J., Brand, B., Rotter, A., Chang, C., and Weiskopf, M.: Helix--Coil Transition in Nucleoprotein. Effect of Ionic Strength on Thermal Denaturation of Polylysine-DNA Complexes, 1681
——: Chang, C., Weiskopf, M., Brand, B. and Rotter, A.: Helix-Coil Transition in Nucleoprotein: Renaturation of Polylysine-DNA and Polylysine-Nucleohistone Complexes, 649
——: see Santella, R. M.
Lim, J. J. and Shamos, M. H.: Evaluation of Kinetic Parameters of Thermal Decomposition of Native Collagen by Thermogravimetric Analysis, 1791
Liu, T. Y.: see Chen, F. C.
Livramento, J.: see Prescott, B.
Luck, G.: see Zimmer, Ch.
Lue, P. C.: see Hoeve, C. A. J.
Luescher, M., Rüegg, M., and Schindler, P.: Effect of Hydration upon the Thermal Stability of Tropocollagen and its Dependence on the Presence of Neutral Salts, 2489
Lukton, A.: see Chu, F. H.
Lunde, B. K.: see Applequist, J.
Lyerla, J. R., Jr.: see Torchia, D. A.
MacLeod, R. M.: see Hawley, S. A.
Maestre, M. F.: see Brunner, W. C.
Magde, D., Elson, E. L., and Webb, W. W.: Fluorescence Correlation Spectroscopy. II. An Experimental Realization, 29
——: see Elson, E. L.
Magdelenat, H., Turq, P., and Chemla, M.: Study of the Self-Diffusion Coefficients of Cations in the Presence of an Acidic Polysaccharide, 1535
Makino, T.: see Akaike, T.
Maleev, V. Ya. and Gasan, A. I.: A Statistical Mechanical Study of Helix-Coil Transition in Concentrated Solutions of Polypeptides and Proteins, 2409
Marchal, E.: Structure of Aggregates and Helix-Coil Transition of Polypeptides by Dielectric Measurements. II. Poly-D,L-Phenylalanine and Poly-β-Benzyl-L-Aspartate in Chloroform–Dichloroacetic Acid Mixtures, 1309
——: see Gupta, A. K.
Marchessault, R. H.: see Hollinger, G.
Maričič, S.: see Lahajnar, G.
Marini, M. A., Martin, C. J., Berger, R. L. and Forlani, L.: A Proposed Solution for the Determination of the Ionization Constants of Sets of Ionizing Groups in Proteins, 891
Marraud, M.: see Aubry, A.
Matsumoto, T. and Teramoto, A.: Solution Properties of Synthetic Polypeptides. XVII. Stability of the α-Helical Conformation of Poly(γ-benzyl L-glutamate) in Helicogenic Solvents, 1347
Martin, C. J.: see Marini, M. A.
Mattice, W. L.: The Effect of Temperature and Salt Concentration on the Circular Dichroism Exhibited by Unionized Derivatives of L-Alanine in Aqueous Solution, 169
McAmis, L. L.: see Fung, B. M.
McMillan, D. E.: A Comparison of Five Methods for Obtaining the Intrinsic Viscosity of Bovine Serum Albumin, 1367
Meyer, E. F., Jr.: Storage and Retrieval of Macromolecular Structural Data, 419
Mgeladze, G. N.: see Andronikashvili, E. L.
Miller, S. J. and Wetmur, J. G.: Electric Birefringence of Native DNA in an Alternating Field, 115
—— and ——: Determination of the Rate of Renaturation of Modified DNA by Fluorescence Depolarization, 2545
Miyake, M., Akita, S., Teramoto, A., Norisuye, T., and Fumita, H.: Solution Properties of Synthetic Polypeptides. XVIII: Helix-Coil Transition of Poly-N^5-(2-Hydroxyethyl)-L-Glutamine, 1173

Miyasaka, K.: see Tanioka, A.
Modestas, Z.: see Bangerter, B. W.
Monaselidze, J. R.: see Andronikashvili, E. L.
Montagut, M., Lemanceau, B. and Bellocq, A. M.: Conformational Analysis of Thyrotropin Releasing Factor by Proton Magnetic Resonance, 2615
Moore, D. S. and Wagner, T. E.: Double-Helical DNA and RNA Circular Dichroism. Calculations on Base-Sugar-Phosphate Helix Interactions, 977
Moscarella, M. A.: see Epand, R. M.
Mosevitsky, M. I. and Panarin, E. F.: Synthesis and Electron Microscopic Investigation of Model Polyacryloylnucleosides, 185
Mukherjee, D. P., Hoffman, A. S., and Franzblau, C.: The Physical Properties and Molecular Structure of *Ligamentum Nuchae* Elastin, 2447
Murai, N. and Sugai, S.: Counterion Activity of Ionizable Polypeptides, 857
—— and ——: Side-Chain Effect on Conformation of Ionizable Polypeptides in Aqueous Solution, 1161
—— and ——: Conformational Change of Poly-N^{ϵ}-Glutaryl-L-Lysine and Poly-N^{ϵ}-Succinyl-L-Lysine in Aqueous Salt Solutions, 1195
——: see Aiuchi, T.
Murphy, V. G.: see Zaslow, B.
Naider, F. and Becker, J. M.: Synthesis and Optical Studies of L-Methionine Oligopeptides in Solution, 1011
——: see Becker, J. M.
Nanda, R. K.: see Tewari, R.
Neel, J.: see Aubry, A.
Nelson, J. H.: see Kroon, P. A.
Neri, P.: see Antoni, G.
Nguyen, A.-L., Vu, B. T., and Wilkes, G. L.: The Dynamic Mechanical, Dielectric, and Melting Behavior of Reconstituted Collagen, 1023
Nir, S.: see Andersen, M.
Noda, H.: see Sutoh, K.
Noda, I.: Sedimentation of Coefficient and Intrinsic Viscosity of Semiflexible Chains, 591
Norisuye, T.: see Miyake, M.
Ohnishi, T.: see Urry, D. W.
Oldmixon, E. H., Glauser, S., and Higgins, M. L.: Two Proposed General Configurations for Bacterial Cell Wall Peptidoglycans Shown by Space-Filling Molecular Models, 2037
Onac, D.: see Simionescu, Cr.
Osipova, T. N., Vorob'ev, V. I., Sibileva, M. A., and Frisman, E. V.: Studies on Deoxyribonucleoprotein Structure. Sedimentation Behavior, 2077
Ostrander, D. A. and Gray, H. B., Jr.: Superhelix Density Heterogeneity in Closed Circular Intracellular PM2 DNA, 955
Ottesen, M.: see Antoni, G.
Paci, M.: see Brosio, E.
Painter, L. R.: see Andersen, M.
Pan, Y.-C. E. and Bobst, A. M.: Spin-Labeled Polyuridylic Acid. Formation of an Intermediate Structure, 1079
Panarin, E. F.: see Mosevitsky, M. I.
Patel, D. J. and Tonelli, A. E.: Assignment of the Proton Nmr Chemical Shifts of the T-N_3H and G-N_1H Proton Resonances in Isolated AT and GC Watson-Crick Base Pairs in Double-Stranded Deoxy Oligonucleotides in Aqueous Solution, 1943
Patrone, E.: see Conio, G.
Pearlstein, A. J.: Facile Birefringence Calculation for an Isomerization Model of S. Kobayashi, 2649
Pedersen, T. G.: see Antoni, G.
Pifat, G.: see Lahajnar, G.
Pispisa, B.: see Barteri, M.
Pitts, W.: see Richardson, F. S.
Pletnev, V. Z., Kadymova, F. A., and Popov, E. M.: Theoretical Analysis of Conformations of Ac-Gly-L-Ala-Gly-NHMe with Intramolecular Hydrogen Bonds, 1085
Poland, D.: Recursion Relation Generation of Probability Profiles for Specific-Sequence Macromolecules with Long-Range Correlations, 1859
——: see Schwarz, M., Jr.
Popov, E. M.: see Pletnev, V. Z.
Prescott, B., Gamache, R., Livramento, J., and Thomas, G. H., Jr.: Raman Studies of Nucleic Acids. XII. Conformation of Oligonucleotides and Deuterated Polynucleotides, 1821
Prohofsky, E. W.: see Eyster, J. M.
Pysh, E. S.: A Model for Solvent Contributions to Polypeptide and Protein Circular Dichroism, 1557
——: Random-Phase Calculation of Poly-L-Proline II Circular Dichroism, 1563
Radding, W.: see Hooker, T. M., Jr.
Rampone, R.: see Bressan, G.

Randhawa, H. S., Reddy, N. V. R., and Rao, C. N. R.: Normal Vibrations of Cyclic Tetraglycine, 2565
Rao, C. N. R.: see Randhawa, H. S.
Ratliff, R. L.: see Gray, D. M.
Record, M. T., Jr.: see Elson, E. L.
——: see Kallay, M.
Reddy, N. V. R.: see Randhawa, H. S.
Richardson, F. S. and Pitts, W.: All-Valence-Shell Molecular Orbital Calculations on the Chiroptical Properties of Substituted and Unsubstituted 2,5-Diketopiperazine Structures, 703
——: see Strickland, R. W.
Rivier, J.: see Donzel, B.
Rizzo, R.: see De Santis, P.
Rodriguez, R. E.: see Goux, W. J.
Ronish, E. W. and Krimm, S.: The Calculated Circular Dichroism of Polyproline II in the Polarizability Approximation, 1635
Ross, P. D. and Scruggs, R. L.: Heat of Poly(rU) Helix Formation Induced by Spermine, 417
—— and Shapiro, J. T.: Heat of Interaction of DNA with Polylysine, Spermine, and Mg^{++}, 415
Rossiter, V.: The Influence of Temperature Variations and Pressure Treatment on Proteins and DNA in the Solid State, 1883
Rotter, A.: see Li, H. J.
Roux, B.: see Bernengo, J. C.
Rüegg, M.: see Luescher, M.
Santella, R. M. and Li, H. J.: Studies of Poly(L-lysine^{50}, L-tyrosine^{50})-DNA Interaction, 1909
Sarko, A.: see Winter, W. T.
Sarma, R. H.: see Evans, F. E.
Sata, H.: see Tsuchida, E.
Schafer, I. A.: see Jamieson, A. M.
Scheele, R. B. and Schuster, T. M.: Kinetics of Protein Subunit Interactions: Simulation of a Polymerization Overshoot, 275
Schellman, J. A.: Flexibility of DNA, 217
——: see Hooker, T. M., Jr.
Schernau, U.: see Heinecke, M.
Schiffer, D. K. and Holtzer, A.: Intrinsic Viscosity of Poly(α-L-Glutamic Acid) in *N*-Methylacetamide, 853
Schmidt, D.: see Chen, F. C.
Schindler, P.: see Luescher, M.
Schleich, T. and Gould, G. R.: Stability and Thermodynamics of Polyuridylic Acid-Deoxyadenosine Complexes in Aqueous Neutral Salt Solutions, 327
Schmitz, K. S.: Cooperative Monomer Binding by Polynucleotides. Effect of Multiple-Loop Configurations on Formation of Triple-Stranded Complexes, 1039
Schurr, J. M.: see Han, H.
——: see Kato, M.
——: see Lee, W. I.
Schuster, T. M.: see Scheele, R. B.
Scoffone, E.: see Bonora, G. M.
Scruggs, R. L.: see Ross, P. D.
Schwarz, M., Jr., and Poland, D.: Statistical Thermodynamics of Triple-Helix Unzippering for the Collagen Model $(Gly\text{-}Pro\text{-}Pro)_n$ and Implications for Natural Collagen, 687
—— and ——: Probability of Internal Unwinding in the Triple Helix of Collagen, 1873
Seipke, G., Arfmann, H.-A., and Wagner, K. G.: Synthesis and Properties of Alternating Poly(Lys^{51},Phe^{49}), 1621
Shamos, M. H.: see Lim, J. J.
——: see Tomaselli, V. P.
Shapiro, J. T.: see Ross, P. D.
Shimanouchi, T.: see Itoh, K.
Shotts, W. J. and Sievers, A. H.: The Far-Infrared Properties of Polyamino Acids, 2593
Shylyakhtenko, L. S.: see Usatyi, A. F.
Sibileva, M. A.: see Frisman, E. V.
——: see Osipova, T. N.
Sievers, A. H.: see Shotts, W. J.
Sigler, K.: Effect of Agents Affecting Water Structure on the Uptake of Saccharides by Agar and Acrylamide Gels, 2553
Simionescu, Cr., Denes, F., Onac, D., and Bloos, G.: Synthesis of Some Amino Acids, Sugars, and Peptides in Cold Plasma Abiotic Synthesis of Some High-Molecular-Weight Proteid-Like Structures(V), 943
Skinner, D. M.: see Gray, D. M.
Slack, J. M. W.: The Interpretation of Oligonucleotide Maps. A Theoretical Study of Nucleic Acid Digests with Special Reference to Repeated Diverged Sequences, 2241
Slonitsky, S. V.: see Frisman, E. V.
Smith, D. A.: see Gray, D. M.
Sogo, J. M.: see Koller, Th.
Soto, R. J.: see Balmer, R. T.
South, G. P. and Grant, E. H.: Theory of

Dipolar Relaxation in Aqueous Macromolecular Solutions, 1777
Srivastava, R. B. and Gupta, V. D.: Vibrational Analysis and Dispersion Curves of Poly-L-Hydroproline Chain, 1965
Stellman, S. D.: see Broyde, S. B.
Stevens, C. L.: Destabilization of Secondary Structure in Polyadenylic Acid by Formaldehyde, 1517
Strickland, R. W., Webb, J., and Richardson, F. S.: Optical Rotatory Properties of L-Cystine Conformational Isomers. Theoretical Analysis, 1269
Studdert, D. S. and Davis, R. C.: Calculations of the Circular Dichroism of Double-Helical Nucleic Acids. I. Effects Involving $\pi \rightarrow \pi^*$ Transitions, 1377
—— and ——: Calculations of the Circular Dichroism of Double-Helical Nucleic Acids. II. Effects Invloving $n \rightarrow \pi^*$ Transitions, 1391
—— and ——: Calculations of the Circular Dichroism of Double-Helical Nucleic Acids. III. Dependence of the Results on the Choice of Wave Functions for Purines and Pyrimidines, 1405
Suezaki, Y. and Gō, N.: The Formation of the Triple Helix in a Mixed Solution of $(Pro\text{-}Pro\text{-}Gly)_n$ and $(Pro\text{-}Pro\text{-}Gly)_{n'}$. A Model of Molecular Size Recognition, 919
Sugai, S.: see Aiuchi, T.
——: see Murai, N.
Suhai, S.: Theoretical Investigation of Semiconductive Properties in Proteins. I. Electrical Conductivity, Charge Carrier Mobilities, and Free Paths in β-Polyglycine, 1731
——: Energy Bands and Electronic Delocalization in the Sugar-Phosphate Backbone of DNA, 1739
Sundaralingam, M.: see Yathindra, N.
Sutoh, K. and Noda, H.: Conformational Change of the Triple-Helical Structure. I. Synthesis of Model Peptides of Collagen by the Solid-Phase Method, 2385
—— and ——: Conformational Change of the Triple-Helical Structure. II. Conformation of $(Pro\text{-}Pro\text{-}Gly)_n$ and $(Pro\text{-}Pro\text{-}Gly)_n$ $(Ala\text{-}Pro\text{-}Gly)_m$-$(Pro\text{-}Pro\text{-}Gly)_n$ in an Aqueous Solution, 2391
—— and ——: Conformational Change of the Triple-Helical Structure. III. Stabilizing Forces in the Triple-Helix, 2461
—— and ——: Conformational Change of the Triple-Helical Structure. IV. Kinetics of the Helix-Folding of $(Pro\text{-}Pro\text{-}Gly)_n$ (n = 10, 12, and 15), 2477
Tanioka, A., Tazawa, T., Miyasaka, K., and Ishikawa, K.: Effects of Water on the Mechanical Properties of Gelatin Films, 753
Tazawa, T.: see Tanioka, A.
Tenenbaum, A. and Triolo, L.: Optical Activity of Doubly Ordered Macromolecules, 2191
Teramoto, A.: see Matsumoto, T.
——: see Miyake, M.
Tewari, R., Nanda, R. K., and Govil, G.: Spatial Configuration of Single-Stranded Polynucleotides. Calculations of Average Dimensions and Nmr Coupling Constants, 2015
Thomas, G. J., Jr.: see Chen, M. C.
——: see Prescott, B.
Tinoco, I., Jr.: see Wickstrom, E.
Toda, F.: see Ueno, A.
Tomaselli, V. P. and Shamos, N. H.: Electrical Properties of Hydrated Collagen. II. Semiconductor Properties, 2423
Tonelli, A. E.: see Patel, D. J.
Toniolo, C.: see Bonora, G. M.
Torchia, D. A. and Lyerla, J. R., Jr.: Molecular Mobility of Polypeptides Containing Proline as Determined by ^{13}C Magnetic Resonance, 97
Trefiletti, V.: see Conio, G.
Treiber, L. R.: see Wender, D. B.
Triebel, H.: see Zimmer, Ch.
Triolo, L.: see Tenenbaum, A.
Trogila, C.: see Conio, G.
Turoverova, L. V.: see Frisman, E. V.
Tscharnutter, W.: see Chen, F. C.
Tsou, K. C. and Yip, K. F.: Synthesis of a Novel Fluorescent Polyribodenylic Acid Analog by Polynucleotide Phosphorylase, 987
Tsuchida, E., Honda, K., and Sata, H.: Reversible Oxygenation of Heme Bound to Polyvinylpyridine and polyvinylimidazole, 2147
Tsuruta, T.: see Akaike, T.
Turq, P.: see Magdelenat, H.
Ueno, A., Toda, F., and Iwakura, Y.: Solvent Effects on the Orientation of Naphthalene Rings in the Side Chain of

Poly-γ-1-Naphthylmethyl-L-Glutamate, 1213

Urry, D. W., and Ohnishi, T.: Studies on the Conformations and Interactions of Elastin. Proton Magnetic Resonance of the Repeating Tetramer, 1223

Usatyi, A. F. and Shylyakhtenko, L. S.: Melting of DNA in Ethanol-Water Solutions, 2435

Vasilescu, D.: see Lespinasse, J. N.

Verdini, A. S.: see Di Blasi, R.

Veselkov, A. N.: see Frisman, E. V.

Vorob'ev, V. I.: see Frisman, E. V.

——: see Osipova, T. N.

Vu, B. T.: see Nguyen, A.-L.

Wada, A.: Comment on "Rotational Relaxation of Macromolecules Determined by Dynamic Light Scattering, 237

Wagner, K. G.: see Lawzczek, R.

——: see Seipke, G.

Wagner, T. E.: see Moore, D. S.

Walton, A. G.: see Wender, D. B.

Webb, J.: see Strickland, R. W.

Webb, W. W.: see Magde, D.

Weiskopf, M.: see Li, H. J.

Wender, D. B., Treiber, L. R., Benusan, H. B., and Walton, A. G.: Synthesis and Characterization of Poly(LysAla$_3$), 1929

Wetmur, J. G.: see Chang, C.-T.

——: see Miller, S. J.

Wheeler, G. E.: see Epand, R. M.

Wickstrom, E. and Tinoco, I., Jr.: The Stability of RNA Hairpin Loops Containing A-U-G:A$_n$-U-G-U$_m$, 2367

Wilkes, G. L. and Wilkes, P. H.: Evidence for *in vivo* Anisotropic Rod Structure in Collagenous Tissue as Noted by Small Angle Light Scattering, 411

——: see Nguyen, A.-L.

Wilkes, P. H.: see Wilkes, G. L.

Wilser, W. T. and Fitchen, D. B.: Raman Spectral Change Induced by Side-Chain Interactions in Racemic Poly-γ-Benzyl Glutamate, 1435

Winter, W. T. and Sarko, A.: Crystal and Molecular Structure of V-Anhydrous Amylose, 1447

—— and ——: Crystal and Molecular Structure of the Amylose-DMSO Complex, 1461

Witschel, J., Jr.: see Fung, B. M.

Wong, K. L. and Kearns, D. R.: Investigation of the Base-Pairing Structure of the Anticodon Hairpin from *E. coli* Initiator tRNA by High-Resolution nmr, 371

Yamamoto, H. and Yang, J. T.: Syntheses and Conformational Studies of Poly(N^{δ}-Methyl-L-Lysine), Poly(N^{δ}-Methyl-L-Ornithine), Poly(N^{δ}-Ethyl-L-Ornithine), and their Carbobenzoxy Derivatives, 1093

—— and ——: The Thermal Induced Helix-β Transition of Poly(N^{ϵ}-Methyl-L-Lysine) and Poly(N^{ϵ}-Ethyl-L-Ornithine) in Aqueous Solution, 1109

——, Hayakawa, T., and Yang, J. T.: Synthesis and Conformational Study of Poly(N^{δ}-Carbobenzoxy, N^{δ}-Benzyl-L-Ornithine) and Poly(N^{δ}-Benzyl-L-Ornithine), 1117

Yang, J. T.: see Yamamoto, H.

Yathindra, N., and Sundaralingam, M.: Conformations of Cyclic 2′3′-Nucleotides and 2′,3′-Cyclic Diphosphates, Interrelation between the Phase Angle of Pseudorotation of the Sugar and the Torsions about the Glycosyl C(1)′-N and the Backbone C(4′)-C(5′) Bonds, 2061

Yip, K. F.: see Tsou, K. C.

Zaslow, B., Murphy, V. G., and French, A. D.: The V Amylose-H_2O System: Structural Changes Resulting from Hydration, 779

Zimmer, Ch., Luck, G., and Triebel, H.: Conformation and Reactivity of DNA. IV. Base Binding Ability of Transition Metal Ions to Native DNA and Effect on Helix Conformation with Special Reference to DNA-Zn (II) Complex, 425

Zuckerman, D. M.: see Blumberg, W. E.

Zugenmaier, P.: Conformation and Packing Analysis of Polysaccharides and Derivatives. I. Mannan, 1127

Zupančič, I.: see Lahajnar, G.

Zwanzig, R.: see Grover, M. K.

SUBJECT INDEX, VOLUME 13

Abiotic synthesis, of proteid-like structures, 943
Absorption spectroscopy, of poly-(Lys,^{50}Tyr^{50})-DNA, 1909
Acridine orange-DNA complex, dielectric relaxation, 391
Adenine, stacking patterns in crystals and binary complexes, 601
Agar, saccharide uptake, 2553
Aggregates, structure of poly(Asp(OBzl)), 1309
of poly(Glu(OBzl)), 1293
of poly(D,L-Phe), 1309
Alanine, CD studies of unionized derivatives, 169
diketopiperazine, ORD and CD studies, 549
Alanine oligomers, conformational studies, 169
Ac-Ala-NHMe, semiempirical energy calculations, 1085
Alpha keratin, x-ray diffraction studies, 257
Aminoacridine dye-DNA complexes, dielectric relaxation, 391
5′-AMP, nmr studies, 2117
3′,5′-AMP, conformational energy calculations, 63
Amylose, x-ray diffraction studies, 1447
Amylose-DMSO, x-ray diffraction studies, 1461
V Amylose-H_2O System, x-ray diffraction studies, 779
Antibiotics, cyclic, conformational energy calculations, 77
Anticodon hairpin, of *E. coli* tRNA, nmr studies of base pairing, 371
Azobenzene, binding to polyethyleneimine derivatives, 791
2-Azabicyclo-[2,2,2]-octanone-3, conformational studies, 523
Base-pairing, in anticodon hairpin of *E. coli* initiator tRNA, 371
Base-sugar phosphate interactions, in DNA and RNA helices, 977
Bound water, of dextran, ir studies, 475
Biacetyl, fluorescence quenching studies with poly(D,L-Phe), 507
Birefringence, electrical, of collagen, 641
Birefringence calculation, 2489
Binding isotherms, for poly U-dA complexes, 327
Bovine serum albumin, dispersion equation and electronic polarizability, 1261
viscosity measurements, 1367
Buoyant density of DNA, 2265
Calorimetric studies, of crosslinked starch, 879
of helix-coil transition of DNA, 339
of poly[d(A-T)·d(A-T)], 1751
of poly U, 227
Carboxy myoglobin, nmr studies, 1187
Cations, effect on T2 DNA viscosity, 207
Cellulose, native, x-ray diffraction studies, 1975
Cellulose trinitrate, hydrodynamic properties, 591
Charge transport in DNA, 1739
Chemical rate constants, calculation from concentration fluctuations, 1
of DNA-ethidium bromide complex formation, 29
Chiroptical properties: see also calculated CD
of diketopiperazines, 703
Circular dichroism, calculated, of DNA and RNA, 977
of double-helical nucleic acids, 1378, 1391, 1405
of poly(Pro) II, 1563, 1635
of N^{α}Me Tyr, 2315
Circular dichroism studies, of collagen, 1427
of crab satellite DNA's, 843
of cyclo(Ala)$_2$ and cyclo(Pro)$_3$, 549
of DNA, 649
of DNA-antibiotic complexes, 1757
of DNA-transition metal ion complexes, 425
of ethidium bromide binding to DNA, 1141
of homopurine:homopyrimidine DNA's, 241
of interaction of β-cyclodextran with dinucleoside phosphates, 909

of interaction of mucopolysaccharides with cationic polypeptides, 139
of Lys peptides, 359
of NCA polymerization, 129
of oligo(Met), 1747, 2179
of oligo(Nva-Gly-Pro) and poly(Nva-Gly-Pro), 1067
of oligonucleotides, 2367
of poly A in presence of formaldehyde, 1517
of poly(Arg), 359
of poly(Gln(EtOH)), 169
of poly(Gln(PrOH)), 2209
of poly(GluO(1-naphthylmethyl)), 1213
of poly(Lys), 359
of poly(Lys) and derivatives, 1093
of poly(Lys)-DNA complexes, 649, 1681
of poly(Lys-Ala_3), 1929
of poly(Lys)-cis$(-)_{589}Co(Ala)_3$ complex, 2161
of poly(Lys(Me)), 1109
of poly(Lys-Phe), 1624
of poly(Lys^{51}, Phe^{49}), 1624
of poly(Lys^{50}, Tyr^{50})-DNA complex, 1909
of polynucleotide films, 345
of poly(Orn), 359
of poly(Orn) and derivatives, 1093
of poly(Orn(Bzl)), 1117
of poly(Orn(Cbz,Bzl)), 1117
of poly(Orn(Et)), 1109
of polypeptides and proteins, model for solvent contributions, 1557
of poly(Tyr, 3-BrTyr), 1341
of unionized Ala derivatives, 169
of unordered polypeptides and proteins, 487
Cold plasma abiotic synthesis, of high molecular-weight proteid-like structures, 943
Collagen, CD studies, 1427
electron microscopic studies, 643
fibrils, electron microscopic studies, 931
hydrated, semiconductor properties, 2423
mechanochemical studies, 1023
model compound, conformational changes, 2391
synthesis of, 2385
thermal transitions of triple helix, 687
monodisperse, electrical birefringence studies, 641
probability of internal unwinding of triple helix, 1873
pulsed nmr studies of water, n, 1767
reconstituted, mechanochemical studies, 627
polytonic studies, 627
structure of water in, 1661
thermogravimetric analysis, 1791
Collagenase, effect on CD of collagen, 1427
Complex multiple equilibria theory, 381
Concentration correlation spectroscopy theory, 1
Concentration fluctuations, calculated, 1
Conformational changes, of collagen model compounds, 2391
of polypeptides on crystallization, 2653
Conformational energy calculations: see also semiempirical energy calculations
of 3′-5′-AMP, 63
of nonactin, 77
Conformational induction, in copolypeptides, 1317
Conformational studies: see also specific methods
of Ac-Gly-Ala-Gly-NHMe, 1085
of cationic polypeptides with mucopolysaccharides, 139
of copoly(D,L-Ala), 307
of cyclic(3′,5′)AMP, 63
of cyclo$(Ala)_2$ and cyclo$(Pro)_2$, 549
of deoxyribonucleoproteins, 863
of dinucleoside phosphates, 1243
of DNA in DMF-water, 2227
of DNA-transition metal ion complexes, 425
of Glu(OBzl)NCA polymerization, 129
of GpC, 1243
of 3-isoquinuclidone, 523
of Lys peptides, 359
of mannan, 1127
of N_6-methyladenosine-poly U complex, 567
of nonactin, 77
of nucleic acids, 615
of oligo(Nva-Gly-Pro) and poly(Nva-Gly-Pro), 1067
of peptidoglycans, 2037
of poly(Ala), mechanically deformed, 455
of poly(Arg), 359
of poly dC, 2087
of poly dG, 2087
of poly dG:dC, 2087
of poly(Gln(EtOH)), 169, 1173
of poly(Gln(PrOH)), 765
of poly(Glu(OBzl)), 745
of poly(GluO(1-naphthylmethyl)), 1213
of poly(Leu), 455

of poly(Lys) and derivatives, 1093
of poly(Lys), random chain, 359
of poly(Lys(N^{ϵ}-glutaryl)), 1195
of poly(Lys·HBr), 903
of poly(Lys(Me)), 1109
of poly(Lys:Phe), 1624
of poly(Lys^{51}, Phe^{49}), 1624
of poly(Lys(N^{ϵ}-succinyl), 1195
of poly(Orn), 359
of poly(Orn) and derivatives, 1093
of poly(Orn(Bzl)), 1117
of poly(Orn(Cbz, Bzl)), 1117
of poly(Orn(Et)), 1109
of polypeptides containing Pro, 97
of polysaccharides, 1127, 1557
of poly U, 227
of poly U, spin-labeled, 1079
of poly(Val), 455
of protonated 5′-GMP, 289
of side-chain effect of ionizable polypeptides, 1161
of TRF, 2615, 2631
of unionized Ala derivatives, 169
of UpA, 1243
Conformational transitions, of poly(Ala), mechanically induced, 455
Cooperative monomer binding, by polynucleotides, 1039
Copoly(D,L-Ala), Raman spectroscopy, 307
Copoly(Leu:Glu), Raman spectroscopy, 455
Copolypeptides, conformational induction in, 1317
Cyclic(3′,5′)AMP, conformational energy calculations, 63
Cyclic antibiotics, conformational energy calculations, 77
Cyclic dipeptides: see also diketopiperazines
Cyclic nucleotides (3′-5′), conformational energy calculations, 63
Cyclo(Ala)$_2$, CD and ORD studies, 549
Cyclo(Ala-Gly), molecular orbital calculations, 703
Cyclo(Ala-His), semiempirical energy calculations, 2349
β-Cyclodextrin, CD studies of binding to dinucleoside phosphates, 909
Cyclo(Gly)$_4$, normal vibrations, 2565
Cyclo(Pro)$_2$, CD and ORD studies, 549
Cyclo(Val-Pro-Gly$_2$)$_n$, nmr studies, 1223
L-Cystine, calculated optical rotatory properties of conformational isomers, 1269
Deoxyadenosine, binding to poly U, 381
Deoxy oligonucleotides, nmr studies, 1943
Deoxyribonucleoproteins, conformational studies, 863
sedimentation studies, 2077
Dermatan sulfate, optical mixing spectroscopy of, 2133
Dextran, hydrated, ir studies, 475
Dielectric dispersion studies, of DNA, 1549
of poly(Asp(OBzl)), 1309
of poly(Glu(OBzl)), 1293
of poly(D,L-Phe), 1309
Dielectric relaxation studies, of DNA, 391
of DNA-aminoacridine dye complexes, 391
of reconstituted collagen, 1023
Dielectric studies, of DNA and proteins in solid state, 1883
of electrolytic polyamino acids, 1499
of water in collagen, 1661
Dichroic ratios, of 6-methylpurine dimer, 769
Differential band sedimentation studies of PM2 DNA, 955
Differential scanning calorimetric studies, of helix-coil transition of DNA, 339
Diffusion coefficients, calculated, 1
of ethidium bromide in complex with DNA, 29
of rhodamine 6G, 29
Diffusion measurements, of acidic polysaccharide, 1535
Diketopiperazines: see also cyclic dipeptides
molecular orbital calculations, 703
Dilatometric measurements, of side-chain effect of ionizable polypeptides, 1161
Dinucleoside phosphates, CD studies of β-cyclodextrin binding, 909
Dipolar relaxation in aqueous solutions, 1777
Dispersion effect, on turbidimetric size measurement, 735
Dispersion equation of bovine serum albumin, 1261
DNA, attached to a surface, helix-coil transition, 2331
base binding ability of transition metal ion complexes, 425
binding of ethidium bromide, 1141
buoyant densities of, 2265
calculated CD, 977
CD studies, 345, 649
charge transport in, 1739

conformational analysis of complexes with basic polypeptides, 313
conformational studies in DMF-water, 2227
crab satellite, CD studies, 843
dielectric dispersion studies, 1549
dielectric studies in solid state, 1883
electric birefringence studies, 115
heat of interaction with polycations, 415
helix-coil transition, effect of magnesium ions, 339
homopurine:homopyrimidine, analysis of CD spectra, 241
hydrodynamic properties in alcohol-water, 2169
hydrodynamic studies, 591, 1847
melting studies, 669
effect of ionic strength, 193
in ethanol-water, 2435
model for flexibility, 217
modified, rate of renaturation, 2545
partition isotherms, 537
pressure-temperature stability, 1417
renaturation, 1847
rich in A:T base pairs, 843
PM2 DNA, superhelix density heterogeneity, 955
T2 DNA, effect of cations and diamines on viscosity, 207
strand-separation transition, 797, 825
T3 DNA, electron microscopy of complex with RNA polymerase, 995
T7 DNA, electron microscopy of complex with RNA polymerase, 995
DNA-aminoacridine dye complexes, dielectric relaxation, 391
DNA-antibiotic complexes, CD studies of, 1757
DNA-crystal violet complex, stopped-flow CD studies, 401
DNA:DNA hybridization, effect of thymine dimers, 669
DNA-ethidium bromide complex, fluorescence correlation spectroscopy of, 29
DNA-Poly(Lys), CD studies, 649
DNA-poly(Lys^{50},Tyr^{50}) complex, spectroscopic studies, 1909
Double helical nucleic acids, calculated CD of, 1378, 1391, 1405
Dynamic light scattering studies, of poly(Lys·HBr), 903
of rotational relaxation of macromolecules, 237
Dynamic mechanical studies, of reconstituted collagen, 1023
Elastin, physical properties and molecular structure, 2447
tetramer, conformational studies, 1223
thermoelastic properties, 677
Electric birefringence studies, of ethidium bromide binding to DNA, 1141
of monodisperse collagen solutions, 641
of native DNA, 115
Electronic energy transfer, in poly(D,L-Phe), 507
Electric linear dichroism studies, of ethidium bromide binding to DNA, 1141
Electronic polarizability measurements, of bovine serum albumin, 1261
Electrolyte effect, on conformation of polyamino acids, 1483
on diffusion of acidic polysaccharide, 1535
Electron microscopic studies, of collagen, 643
of collagen fibrils, 931
of model polyacryloylnucleosides, 185
of nucleic acid-protein complexes, 995
Electron spin resonance studies, of spin-labeled poly U, 1079
Energy transfer, determination of intramolecular distances from, 1573
in phenylalanine tRNA, 1607
Equilibrium dialysis studies, of binding of small molecules to polyethyleneimine derivatives, 791
Ethidium bromide, binding to DNA, 1141
Ethidium bromide-DNA complex, dielectric relaxation, 391
fluorescence correlation spectroscopy, 29
Far ir studies, of polyamino acids, 2593
Film dichroism studies, of ethidium bromide binding to DNA, 1141
Flexible chains, hydrodynamic properties, 591
Flexibility, calculated, of DNA, 217
Flow birefringence studies, of deoxyribonucleoproteins, 863
Fluorescence correlation spectroscopy, of DNA-ethidium bromide complex, 29
theory, 1
Fluorescence depolarization studies, of renaturation of modified DNA, 2545
Fluorescence polarization studies, of ethidium bromide binding to DNA, 1141
Fluorescence quenching studies, of poly(D,L-Phe), 507

Fluorescence spectral studies, of poly-(GluO(1-naphthylmethyl)), 1213
of poly(Lys^{50},Tyr^{50})-DNA, 1909
of polynucleotide phosphorylase, 987
Gelatin, mechanical properties, effect of water, 753
Gelatinization, of crosslinked starch, 879
Gel filtration, of polysaccharides, 1351
Ac-Gly-Ala-Gly-NHMe semiempirical energy calculations, 1085
5′-GMP, conformational studies, 289
GpC, semiempirical energy calculations, 1243
GluOBzl NCA's CD studies of copolymerization of D and L, 129
Glu oligopeptides, synthesis by solid-phase, 157
Glycosidic (C–N) bonds, effect of protonation on rotation, 289
Ac-Gly-NHMe, semiempirical energy calculations, 1085
Gravimetric sorption measurements, of water on hemoglobin, 1653
Guanosine, effect of protonation on electronic structure, 289
Heat of interaction, of DNA with polycations, 415
Helical conformation, of poly(Ala), 307
Helical polypeptides, ir studies, 1701
Helix, triple, stabilizing forces in, 2461
Helix-coil transition, effect of concentration on transition width, 2103
in concentrated solution, statistical mechanical study, 2409
of DNA, 193, 339
attached to a surface, 2331
of T2 DNA, 797
of T7 DNA, 825
enthalpy of, in polypeptides, 725
of nucleoproteins, 649
of poly(Asp(OBzl)), 577, 1309
in poly[d(A-T)·d(A-T)], 1751
of poly(Gln(EtOH)), 1173
of poly(Gln(PrOH)), 765
of poly(Glu(OBzl)), 577, 745, 1293
enthalpy of, 725
of poly(D,L-Glu(OBzl)), 577
of poly(Lys) and derivatives, 1093
of poly(Lys)-cis(−)$_{589}$(Co(Ala)$_2$ complex, 2161
of poly(Lys)-DNA complex, 649, 1681
of poly(Lys(N$^{\epsilon}$-glutaryl)), 1195
poly(Lys(N$^{\epsilon}$-succinyl)), 1195
of poly(Lys)-nucleohistone complex, 649
of poly(Orn) and derivatives, 1093
of poly(Orn(Cbz, Bzl)), 1117
of polypeptides with polar side chains, 577
for poly(Pro-Pro-Gly), 919
of poly U, 227
of poly U-dA complexes, 327
Helix folding, of (Pro-Pro-Gly), 2477
Helix formation, of oligo(Met), 1747
of poly U with spermine, 417
Helix sense of poly(Tyr), 1336
Helix stability, of poly(Glu(OBzl)), 1347
Helix-β transition, of poly(Lys(Me)), 1109
of poly(Orn(Et)), 1109
Heme-PVMI complex, oxygenation of, 2147
Heme-PVP complex, oxygenation of, 2147
Hemoglobin, gravimetric sorption measurements, 1653
nmr studies, 1187
potentiometric studies of model mixture, 891
Hemoproteins, nmr studies, 1187
Heparitin sulfate, effect on conformation of cationic polypeptides, 139
Hyaluronic acid, effect on conformation of cationic polypeptides, 139
Hydration, of V amylose, 779
effect on thermal stability of tropocollagen, 2489
Hydrodynamic properties, calculated, 1
of flexible chains, 591
Hydrodynamic studies, of cellulose trinitrate, 591
of DNA, 115, 591, 1847, 2169
of DNA renaturation, 1847
of T2 DNA, 207
of DNA-transition metal ion complexes, 425
of phycocyanin hexamer, 2293
of poly(Asn(EtOH)), 1721
IR, calculated, of poly(Hyp), 1965
IR Studies, of cyclo(Gly)$_4$, 2527
of dextran and bound water, 475
of GluOBzl NCA polymerization, 129
of helical polypeptides, 1701
of 3-isoquinuclidone, 523
of oligo(Nva-Gly-Pro), 1067
of poly(GluO(1-naphthylmethyl)), 1213
of poly(Nva-Gly-Pro), 1067
of polypeptides with polar side chains, 577
of stereoregular poly(D,L-Glu(OBzl)), 1713
Ionization constants, model for proteins, 891

3-Isoquinuclidone, conformational studies, 523
Intramolecular distances, determination by energy transfer, 1573
Isotherms, partition, of DNA, 537
of RNA, 537
Keratan sulfate, effect on conformation of cationic polypeptides, 139
Kinetics, calculated, of polymerization reaction, 275
Lattice vibrational modes, of poly U, 2505, 2527
of poly A, 2505, 2527
Light microscopic studies, of gelatinization and swelling of crosslinked starch, 879
Long range correlation, generation of recursion formula, 1859
Lysine peptides, CD studies, 359
nmr studies, 359
Magnesium ions, effect on DNA melting, 339
heat of interaction with DNA, 415
Mannan, conformation and packing analysis, 1127
Mechanical properties, of gelatin, effect of water, 753
Mechanochemical studies, of gelatin films, 753
of reconstituted collagen fibers, 627
Melting curve parameters, of DNA, 193
Melting studies, of anticodon hairpin from *E. coli* tRNA, 371
of cationic polypeptides with mucopolysaccharides, 139
of crab satellite DNA's, 843
of DNA, 193, 339, 669
of nucleoproteins, 649
of poly(Lys)-DNA complex, 649
of poly(Lys)-nucleohistone complex, 649
of poly U, 227
of poly U-dA complexes in aqueous neutral salt solutions, 327
of reconstituted collagen, 1023
Methionine oligopeptides synthesis, 1011, 2179
N_6-Methyladenosine, nmr studies of complex with poly U, 567
6-Methylpurine dimer, uv studies, 769
Metmyoglobin, nmr studies, 1187
Modified quarter stagger model, of collagen fibril, 931
Molecular mobility, of proline-containing polypeptides, 97
Molecular orbital calculations, of diketopiperazines, 703
Molecular size recognition model, 919
Mucopolysaccharides, interaction with cationic polypeptides, 139
Multiple-loop configurations, effect on triple-helix formation in polynucleotides, 1039
NCA polymerization, conformational studies, 129
kinetic studies, 1317
p-Nitroaniline, binding to polyethyleneimine derivatives, 791
p-Nitrophenolate, binding to polyethyleneimine derivative, 791
Nuclear magnetic resonance calculations, of polynucleotides, 2015
Nuclear magnetic resonance relaxation studies, of poly A, 2273
Nuclear magnetic resonance studies, of 5′-AMP, 2117
of anticodon hairpin from *E. coli* initiator tRNA, 371
of carboxy myoglobin, 1187
of cyclo(Val-Pro-Gly-Gly), 1223
of deoxyoligonucleotides, 1943
of hemoglobin, 1187
of hemoproteins, 1187
of 3-isoquinuclidone, 523
of lysine peptides, 359
of N_6-methyladenosine-poly U complex, 567
of metmyoglobin, 1187
of poly(Glu(OBzl)), 745
of poly U, 2015
of poly(Val-Pro-Gly-Gly), 1223
of repeating elastin tetramer, 1223
of TRF, 2615, 2631
^{13}C NMR studies, of poly(Gln(PrOH)), 765, 2209
of polypeptides containing proline, 97
Nonactin, conformational energy calculations, 77
Nucleic acids, Raman spectral studies, 615
double-helical, calculated CD of, 1378, 1391, 1405
Nucleic acid constituents, stacking specificity, 2003
Nucleohistones, mechanism of supercoiling, 313
melting studies of complex with poly(Lys), 649
model for, 313
Nucleoprotamines, model for, 313
Nucleoproteins, helix-coil transition, 649
Nucleosides, cooperative binding to polynucleotides, 381

Nucleotides, cyclic, conformational studies, 63
semiempirical energy calculations, 2061
Nucleotide stacking patterns, in crystal and binary structures, 601
Oligoadenylates, effect of chain length on secondary structure, 2571
Oligomer-polymer interactions, statistical thermodynamics, 2305
Oligo(Met), CD studies, 1747
synthesis and conformational analysis, 2179
Oligonucleotide maps, interpretation of, 2241
Oligonucleotides, Raman spectroscopic studies, 1821
synthesis and CD studies, 2367
Oligo(Nva-Gly-Pro), conformational studies, 1067
synthesis, 1055
Oligopeptides, glutamyl, synthesis, 157
of methionine, synthesis, 1011
sequential, synthesis and characterization, 1055
Optical activity, of poly(ABU-Cbz), 2191
Optical mixing spectroscopy, of polysaccharides, 2281
of dermatan sulfate, 2133
Optical properties: see also CD, UV, studies, etc.
of copolypeptides, 1317
ORD studies, of cyclo(Ala)$_2$ and cyclo(Pro)$_2$, 549
of electrolyte effect on polyamino acids, 1483
of poly(Gln(EtOH)), 1173
of poly(Glu(OBzl)), 1347
of poly(Lys) and derivatives, 1093
of poly(Lys(N^{ϵ}-glutaryl), 1195
of poly(Lys(Me)), 1109
of poly(Lys(N^{ϵ}-succinyl)), 1195
of poly(Orn) and derivatives, 1093
of poly(Orn(Bzl)), 1117
of poly(Orn(Cbz, Bzl)), 1117
of poly(Orn(Et)), 1109
of polysaccharides, 1357
of side-chain effect of ionizable polypeptides, 1161
Optical rotatory properties, of L-cystine conformational isomers, 1269
Optical rotatory power calculations of N^{α}MeTyr, 2315
Oxygenation rate of Heme-PVMI and Heme-PVP, 2147
Packing analysis, of polysaccharides, 1127
Peptidoglycans, proposed conformation, 2037
Phenylalanine NCA, polymerization of optical isomers by poly(*N*-methylalanine) diethylamide, 1205
pH Titration studies, of ionizable polypeptides, 857
Phycocyanin hexamer, mol wt and shape, 2293
Poly A, CD studies, 1517
lattice vibrational modes, 2505, 2527
pulsed nmr studies, 2273
synthesis of fluorescent analog by polynucleotide phosphorylase, 987
uv studies, 1523
Poly(A_2bu-Cbz), optical activity and conformation, 2191
Polyacrylamide, saccharide uptake, 2553
Polyacryloylnucleosides, electron microscopic studies, 185
synthesis, 185
Poly(Ala), mechanically deformed, Raman spectroscopy, 455
Poly(N^{α}MeAla) Diethylamide, as initiator of Phe NCA polymerizations, 1205
Polyamines, effect on T2 DNA viscosity, 207
Polyamino acids, far ir studies, 2593
Poly(Arg), conformation in presence of mucopolysaccharides, 139
CD studies, 359
Poly(Asn(EtOH)), hydrodynamic properties, 1721
Poly(Asp(OBzl)), dielectric measurements of helix-coil transition, 1309
ir studies, 577
molecular aggregate, 1309
Poly[d(A-T)·d(A-T)], calorimetric studies, 1751
Poly dC, CD studies, 2087
Polyethyleneimine derivatives, binding of small molecules, 791
Poly dG, CD studies, 2087
Poly dG:dC, CD studies, 2087
Poly(Gln(EtOH)), conformational studies, 1173
Poly(Gln(PrOH)), CD studies, 2209
^{13}C nmr studies, 768, 2209
Poly(Glu), effect of electrolytes on conformation, 1483
viscosity in N-methylacetamide, 853
Poly(Glu(OBzl)), dielectric measurements of helix-coil transition, 1293
enthalpy of helix-coil transition, 725

ir studies, 577
molecular aggregate, 1293
nmr studies, 745
solution properties, 1347
Poly(D,L-Glu(OBzl)), ir studies, 1713
laser Raman studies, 1435
optical properties, 1324
polymerization kinetics, 1323
Poly(D-Glu(OBzl))$_n$, (Glu(OBzl))$_m$, optical properties, 1324
polymerization kinetics, 1323
Poly(Glu(OBzl))$_m$, (D,L-(Tyr(Cbz))$_n$, optical properties, 1324
polymerization kinetics, 1323
Poly(Glu(OMe)), optical properties, 1324
polymerization kinetics, 1323
Poly(GluO(1-naphthylmethyl)), solvent effects on side-chain orientation, 1213
β-Poly(Gly), calculated semiconductivity, 1731
Poly(Gly-Gly-Pro-Gly), ^{13}C nmr studies, 97
Poly(Gly-Pro-Pro), thermal transitions of triple helix, 687
Poly(Hyp), ^{13}C nmr studies, 97
vibrational analysis, 1965
Poly(Hyp:Pro), ^{13}C nmr studies, 97
Poly(Leu), Raman spectroscopy, 455
Poly(Lys), conformation in presence of mucopolysaccharides, 139
CD studies, 359
CD studies of complex with DNA, 649
and derivatives, conformational studies, 1093
heat of interaction with DNA, 415
melting studies of complex with DNA, 649
melting studies of complex with nucleohistone, 649
Poly(Lys-Ala$_3$), synthesis and characterization, 1929
Poly(Lys)-*cis*(−)$_{589}$Co(Ala)$_3$ complex, helix-coil transition, 2161
Poly(Lys)-DNA complex, helix-coil transition, 1681
Poly(Lys(N$^\epsilon$-glutaryl)), conformational studies, 1161, 1195
Poly(Lys·HBr), dynamic light scattering studies, 903
Poly(Lys(Me)), conformational studies, 1109
Poly(Lys^{51}, Phe^{49}), conformational studies, 1624
Poly(Lys-Phe), conformational studies, 1624
synthesis, 1622
Poly(Lys(N$^\epsilon$-succinyl)), conformational studies, 1161, 1195
dielectric studies, 1499
Poly(Lys^{50},Tyr^{50})-DNA complex, spectroscopic studies, 1909
Polymer-oligomer interaction, statistical thermodynamics, 2305
Polymerization, of Glu(OBzl) NCA, CD studies, 129
of optical isomers of phenylalanine NCA by poly(*N*-methylalanine) diethylamide, 1205
Polymerization kinetics, of copolypeptides, 1317
Polymerization reaction, calculated kinetics, 275
Poly(Nva-Gly-Pro), conformational studies, 1067
synthesis, 1055
Polynucleotide phosphorylase, fluorescent spectral studies, 987
synthesis of fluorescent poly A analog, 987
Polynucleotides, calculation of average dimensions, 2015
CD studies, 345
cooperative monomer binding, 381, 1039
nmr coupling constants, 2015
Raman spectroscopic studies, 1821
Poly(Orn), CD studies, 359
conformation in presence of mucopolysaccharides, 139
and derivatives, conformational studies, 1093
effect of electrolytes on conformation, 1483
Poly(Orn(Bzl)), synthesis and conformational studies, 1117
Poly(Orn(Cbz,Bzl)), synthesis and conformational studies, 1117
Poly(Orn(Et)), conformational studies, 1109
Poly(Orn(N^δ-glutaryl)), conformational studies, 1161
Poly(Orn(N^δ-succinyl)), conformational studies, 1161
Polypeptides, basic, conformational analysis of complexes with DNA, 313
enthalpy of helix-coil transition, 725
ionizable, effect of side-chain on conformation, 1161
ionizable, pH titration studies, 857
proline-containing, ^{13}C nmr studies, 97
solvent contributions to CD, 1557

unordered, CD studies, 407
with polar side-chains, ir studies, 577
Poly(D,L-Phe), dielectric measurements of helix-coil transition, 1309
fluorescence quenching studies, 507
molecular aggregate, 1309
Poly(Pro), ^{13}C nmr studies, 97
Poly(Pro) II, calculated CD, 1563, 1635
Poly(Pro-Gly), ^{13}C nmr studies, 97
Poly(Pro-Pro-Gly), theory of helix-coil transition, 919
Polysaccharides, acidic, electrolyte effect on, 1535
and derivatives, conformation and packing analysis, 1127
conformational studies, 1351
optical mixing spectroscopy, 2281
Polytonic studies, of reconstituted collagen fibers, 627
Poly(Tyr), helix sense, 1336
Poly(D,L-Tyr), optical properties, 1324
polymerization kinetics, 1323
Poly(D,L-TyrCbz), optical properties, 1324
polymerization kinetics, 1323
Poly(D,L-Tyr(Cbz))$_n$, (GluOBzl))$_m$, optical properties, 1324
polymerization kinetics, 1323
Poly(Tyr, 3-BrTyr), CD studies, 1341
Poly U, binding of deoxyadenosine, 381
calorimetric studies of helix-coil transition, 227
heat of helix formation with spermine, 417
lattice vibrational modes, 2505, 2527
nmr studies of complex with N_6-methyl adenosine, 567
spin-labeled, ESR studies, 1079
Poly U-dA complexes, effect of neutral salts, 327
melting studies, 327
Poly(Val), Raman spectroscopy, 455
Poly(Val-Pro-Gly-Gly), nmr studies, 1223
Potentiometric titration studies, of hemoglobin model, 891
of poly(Lys) and derivatives, 1093
of poly(Lys(N^ϵ-glutaryl)), 1195
of poly(Lys(N^ϵ-succinyl), 1195
of poly(Orn) and derivatives, 1093
of side-chain effect of ionizable polypeptides, 1161
Pressure-temperature stability of DNA, 1417
Probability profiles, of internal unwinding in collagen, 1873
recursion formula for, 1859
Proflavine-DNA complex, dielectric relaxation, 391
Proline-containing polypeptides, ^{13}C nmr studies, 97
(Pro-Pro-Gly)$_n$(Ala-Pro-Gly)$_m$(Pro-Pro-Gly)$_n$, conformational changes, 2391
synthesis of, 2385
(Pro-Pro-Gly)$_n$, conformational changes, 2391
kinetics of helix folding of, 2477
synthesis of, 2385
Proteid-like structures, abiotic synthesis, 943
Protonation, effect on electronic structure of 5′-GMP, 289
Proteins, calculated kinetics of subunit interactions, 275
CD studies, 407
dielectric studies in solid state, 1883
proposed model for ionization constants, 891
solvent contributions to CD, 1557
Pulsed nmr studies, of Poly A, 2273
of water in collagen, 1767
Pulsed ^{31}P nmr of poly A, 2273
Raman frequencies, calculated of poly(Hyp), 1965
Raman spectral studies, of copoly(D,L-Ala), 307
of copoly(Leu:Glu), 455
of mechanically deformed poly(Ala), 455
of nucleic acids, 615
of oligonucleotides and polynucleotides, 1821
of poly(D,L-Glu(OBzl)), 1435
of poly(Leu), 455
of poly(Val), 455
of tropomyosin denaturation, 1809
Refractive index measurements, of bovine serum albumin, 1261
Relative humidity, effect on CD of DNA, 345
Rhodamine 6G, diffusion coefficient, 29
fluorescence correlation spectroscopy, 29
RNA, calculated CD, 977
digests, calculation of diverged sequence, 2241
hairpin loops, stability of, 2367
partition isotherms, 537
rRNA, from *E. coli*, Raman spectral studies, 615
tRNA, from *E. coli*, melting and nmr studies of anticodon hairpin, 371
phenylalanine, energy transfer in, 1607

solution structure, 1607
yeast, Raman spectral studies, 615
RNA polymerase, electron microscopy of T7 and T3 DNA complexes, 995
Rotational relaxation, of macromolecules, 237
Saccharide uptake, by agar and polyacrylamide gels, 2553
Satellite DNA's, CD studies, 843
Sedimentation coefficients, of cellulose trinitrate, 591
of DNA, 591
of flexible chains, 591
Sedimentation studies, of deoxyribonucleoprotein, 2077
of DNA-transition metal ion complexes, 425
Sedimentation velocity studies, of T2 DNA, 797
of T7 DNA, 825
Semiconductivity, calculated, of β-poly(Gly), 1731
Semiconductor properties of hydrated collagen, 2423
Semiempirical calculations, of binding of dA to poly U, 381
of CD of DNA's, 241
of DNA flexibility, 217
of fluorescence quenching in poly(D,L-Phe), 507
of kinetics of protein subunit interactions, 275
of optical rotatory properties of L-cystine conformational isomers, 1269
Semiempirical energy calculations, of Ac-Ala-NHMe, 1085
of cyclic nucleotides, 63, 2061
of cyclo(Ala-His), 2349
of dinucleoside phosphates, 1243
of DNA-basic polypeptide complexes, 313
of Ac-Gly-Ala-GlyNHMe, 1085
of Ac-Gly-NHMe, 1085
of DNA melting, 193
of GpC, 1243
of mannan, 1127
of N^{α}MeTyr, 2315
of nucleotide stacking patterns, 601
of polysaccharides, 1127
of protonated 5′-GMP, 289
of unionized Ala derivatives, 169
of UpA, 1243
Side-chain effect, on conformation of ionizable polypeptides, 1161
Small angle light scattering studies, of collagenous tissue, 411
Solid-phase synthesis, of collagen model peptides, 2385
of Glu oligopeptides, 157
Solvent contributions, to CD of polypeptides and proteins, 1557
Spermine, heat of interaction with DNA, 415
induction of helix formation with poly U, 417
Stacking patterns, of nucleotides in crystals and binary structures, 601
Stacking specificity of nucleic acid constituents, 2003
Starch, crosslinked, thermodynamics of gelatinization and swelling, 879
Statistical thermodynamics, of thermal transitions of triple helix of collagen model, 687
Stopped-flow circular dichroism studies, of crystal violet-DNA interaction, 401
of enzyme-ligand interactions, 401
Strand-separation transition, of T2 DNA, 797
of T7 DNA, 825
Structure, anisotropic rod, of collagenous tissue, 411
Supercoiling, in nucleohistones, model for, 313
Superhelix density heterogeneity, in PM2 DNA, 955
Synthesis, of collagen model peptides, 2385
of Glu oligopeptides, 157
of Met oligopeptides, 1011, 2179
of polyacryloylnucleosides, 185
of poly(D,L-Glu(OBzl)), 1317
of poly(D-Glu(OBzl))$_n$, (Glu(OBzl))$_m$, 1317
of poly(Glu(OBzl))$_m$, (D,L-Tyr(Cbz))$_n$, 1317
of poly(Glu(OMe)), 1317
of poly(Lys(Me)), 1093
of poly(Orn(Bzl)), 1117
of poly(Orn(Cbz, Bzl)), 1117
of poly(Orn(Et)), 1093
of poly(Orn(Me)), 1093
of poly(D,L-Tyr(Cbz)), 1317
of poly(D,L-Tyr(Cbz))$_n$, (Glu(OBzl))$_m$, 1317
T_{GC}-T_{AT}, for DNA, dependence on Na^+ concentration, 193
Thermal transitions, of triple helix of collagen model, 687

Thermodynamic parameters, for binding of dA to Poly U, 327
Thermoelastic properties, of elastin, 677
Thermogravimetric analysis of collagen, 1791
Thymine, effect of dimers on DNA:DNA hybridization, 669
Tissue, collagenous, anisotropic rod structure, 411
Titration studies of electrolyte effect on polyamino acids, 1485
Transition metal ions, base binding ability to DNA, 425
TRF, nmr studies, 2615, 2631
Triple helix, model for formation, 919
of collagen model, thermal transitions, 687
of polynucleotides, effect of multiple-loop configurations, 1039
probability of internal unwinding, 1873
stabilizing forces, in, 2461
Tropocollagen, thermal stability, 2489
Tropomyosin denaturation, Raman spectral studies, 1809
Turbidimetric size measurement, dispersion effect, 735
β-Turn, in elastin tetramer, 1223
N^{α}MeTyr, semiempirical conformational energy and optical rotatory power calculation, 2315
UpA, semiempirical energy calculations, 1243
UV Difference spectral studies, of DNA-transition metal ion complexes, 425
UV Studies, of 6-methylpurine dimer, 769
of oligo(Nva-Gly-Pro) and poly(Nva-Gly-Pro), 1067
of poly A in presence of formaldehyde, 1523
of poly(GluO(1-naphthylmethyl), 1213
of poly(D,L-Phe), 507
Viscosity measurements: see also Hydrodynamic properties
of bovine serum albumin, 1367
of deoxyribonucleoproteins, 863
of T2 DNA, 797
effect of ations and diamines, 207
of T7 DNA, 825
of poly(Gln(EtOH)), 1173
on poly(Glu) in *N*-methylacetamide, 853
Water, in collagen, pulsed nmr studies, 1767
structure of, 1661
sorption on deoxygenated hemoglobins, 1653
X-Ray diffraction studies, of alpha keratin, 257
of amylose, 1447
of amylose-DMSO, 1461
of V Amylose-H_2O system, 774
of gelatin, 753
of 3-isoquinuclidone, 523
of native cellulose, 1975
Zinc ions, base binding ability to DNA, 425